


ORNAMENTAL GATE HARDWARE | GATE END GUIDE

		1.25"sq x 16ga	1.75"sq x 14ga	2"sq x 12ga
STEEL	Montage Gates	•		
	Montage Arched Gates	•		
	Montage Plus Gates		•	
	Montage Plus Arched Gates		•	
	Montage Plus Estate Gates			•
	Montage Commercial Gates		•	
	Montage Commercial Arched Gates		•	
	Montage Commercial Estate Gates			•
	Montage II Gates			•
	Montage II Arched Gates			•
	Montage II Estate Gates			•
	Aegis Gates	•		
	Aegis Plus Gates		•	
	Aegis II Gates			•
	Impasse II Gates			•

		1.25"sq x .125"wall	1.75"sq x .125"wall	2"sq x .250"wall
ALUMINUM	Aegis Plus Arched Gates			•
	Echelon Gates	•		
	Echelon Arched Gates	•		
	Echelon Plus Gates		•	
	Echelon Plus Arched Gates			•
	Echelon II Gates			•
	Estate Gates			•

Effective: 01/07/21

ORNAMENTAL GATE HARDWARE | SINGLE & DOUBLE SWING KITS




DESCRIPTION	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
D&D Single Gate Hardware Kits	1.125"	.75"	DSKM*	1	2 lbs
	1.125"	.75"	DSKP**	1	3 lbs

*DSKM Kit includes: (1) pr. #TCAMA1 | (1) ea. #LLAAB

**DSKP Kit (for pools) includes: (1) pr. #TCAMA1 | (1) ea. #MLTPS2BGA

Kits for use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

These kits are **NOT FOR USE** with gate leaves weighing over 62 lbs. | Available in BLACK only




D&D Heavy Duty Single Gate Hardware Kit	.75"	.75"	TCSGK	1	3 lbs
---	------	------	-------	---	-------

TCPGK Kit includes: (1) pr. #8000-2115 | (1) ea. #LLDAB-KSA

Kits for use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

These kits are **NOT FOR USE** with gate leaves weighing over 132 lbs. | Available in BLACK only




D&D Heavy Duty Single Gate Pool Safety Hardware Kit	.75"	.75"	TCPGK	1	3 lbs
---	------	------	-------	---	-------

TPSGK Kit (for pools) includes: (1) pr. #8000-2115 | (1) ea. #MLTPS2BGA

Kits for use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

These kits are **NOT FOR USE** with gate leaves weighing over 132 lbs. | Available in BLACK only




D&D Double Gate Hardware Kit	.75"	.75"	DDKM	1	5 lbs
------------------------------	------	------	------	---	-------

DDKM Kit includes: (2) pr. #8000-2081 | (1) ea. #LLAAB | (1) ea. #QB124


Kits for use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

These kits are **NOT FOR USE** with gate leaves weighing over 62 lbs. | Available in BLACK only



Bolt-On Hinge Kits for 1.25\"/>

ORNAMENTAL GATE HARDWARE | SINGLE & DOUBLE SWING KITS



DESCRIPTION	SIZE	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
Bolt-On Hinge Kits for 1.75" Uprights with Fork Latch	1.75" x 2.5"	2"	2"	AG⊗S25*	1	5 lbs
	1.75" x 3"	2"	2"	SG⊗S3**	1	6 lbs
	1.75" x 2.5"	2"	2"	AG⊗D***	1	15 lbs
	1.75" x 3"	2"	2"	SG⊗D3****	1	16 lbs


*AG⊗S25 Kit (for single swing gates) includes: (1) pr. #HB413 | (1) pr. #HB414 | (1) ea. #HB311

**SG⊗S3 Kit (for single swing gates) includes: (1) pr. #HB415 | (1) pr. #HB414 | (1) ea. #HB311 (1) ea. #HB412

***AG⊗D Kit (for single swing gates) includes: (2) pr. #HB413 | (3) pr. #HB414 | (1) ea. #HB410 | (1) ea. #HB311 | (1) ea. #HB316

****SG⊗D3 Kit (for double swing gates) includes: (2) pr. #HB415 | (3) pr. #HB414 | (1) ea. #HB410 | (1) ea. #HB311 | (1) ea. #HB316


Kits for use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates



Box Hinge Kit for 1.75" Aluminum Uprights & Steel Posts with Fork Latch	1.75"	2.375"	2"	AG⊗DX	1	22 lbs
--	-------	--------	----	-------	---	--------

AG⊗DX Kit (for double swing gates) includes: (2) pr. #HB518 | (1) ea. #HB311 | (1) ea. #HB410 | (1) ea. #HB414 | (1) ea. #HB316

Kit for use with: Echelon Plus Gates



Box Hinge Kit for 2" Aluminum Upright & Steel Post with Fork Latch	2" x 2.5"	2.375"	2"	EG⊗SX25*	1	9 lbs
	2" x 3"	2.375"	2"	EG⊗SX3**	1	9 lbs
	2" x 2.5"	2.375"	2"	EG⊗DX***	1	23 lbs

*EG⊗X25 Kit (for single swing gates) includes: (1) pr. #HU518 | (1) ea. #HB411 | (1) ea. #HB420

**EG⊗SX3 Kit (for single swing gates) includes: (1) pr. #HU518 | (1) ea. #HB412 | (1) ea. #HB420

***EG⊗DX Kit (for double swing gates) includes: (2) pr. #HU518 | (1) pr. #HB416 | (1) ea. #HB316 | (1) ea. #HB420 | (1) ea. #HB402


Kits for use with: Estate Gates | Aegis Plus Arched Gates | Echelon Plus Arched Gates | Echelon II Gates

⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze S = Sand


HC = hinge clearance | LC = latch clearance

Effective: 01/07/21


ORNAMENTAL GATE HARDWARE | SINGLE & DOUBLE SWING KITS




SINGLE




DOUBLE




SINGLE



DOUBLE



SINGLE



SINGLE

DESCRIPTION	SIZE	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
Residential Hinge Kit for .25\" Uprights with Fork Latch	1.25\" x 2\"	1\"	2\"	RG⊗S*	1	10 lbs
	1.25\" x 2\"	1\"	2\"	RG⊗D**	1	17 lbs

*RG⊗S Kit (for single swing gates) includes: (1) pr. #MRH180R | (1) ea. #HB402 | (1) ea. #HB301

**RG⊗D Kit (for double swing gates) includes: (2) pr. #MRH180R | (1) ea. #HB401 | (1) ea. #HB301 | (1) pr. #HB404 | (1) ea. #HB316

Kits for use with: Montage Gates | Aegis Gates | Echelon Gates

These kits are **NOT FOR USE** with gate leaves weighing over 120 lbs.

Commercial Hinge Kit for 1.75\" Uprights & 2.5\" Posts with Strong Arm Gate Latch	2.5\"	1\"	3\"	CG⊗S-25*	1	12 lbs
	2.5\"	1\"	3\"	CG⊗D**	1	19 lbs

*CG⊗S-25 Kit (for single swing gates) includes: (1) pr. #MCH180R | (1) ea. #DSB250

**CG⊗D Kit (for double swing gates) includes: (2) pr. #MCH180R | (1) ea. #DSB200

NOTE: Recommend DLB100 for each gate leaf.

Kits for use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates

These kits are **NOT FOR USE** with gate leaves weighing over 240 lbs.

Commercial Hinge Kit for 1.75\" Uprights & 3\" Post with Strong Arm Gate Latch	3\"	1\"	3\"	CG⊗S-3	1	15 lbs
--	-----	-----	-----	--------	---	--------

CG⊗SA Kit (for single swing gates) includes: (1) pr. #MCH180R | (1) ea. #DSB300

Kit for use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates

These kits are **NOT FOR USE** with gate leaves weighing over 240 lbs.

Commercial Hinge Kit for 1.75\" Uprights & 4\" Post with Strong Arm Gate Latch	4\"	1\"	3\"	CG⊗S-4	1	17 lbs
--	-----	-----	-----	--------	---	--------

CG⊗SA Kit (for single swing gates) includes: (1) pr. #MCH180R | (1) ea. #DSB100

Kit for use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates

These kits are **NOT FOR USE** with gate leaves weighing over 240 lbs.

⊗ = COLOR OPTIONS AVAILABLE | B = Black | N = Bronze | S = Sand | Hinges are available in BLACK only

HC = hinge clearance | LC = latch clearance


Effective: 01/07/21

AMERISTAR

ASSA ABLOY

TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM

ORNAMENTAL GATE HARDWARE | SINGLE & DOUBLE SWING KITS





DESCRIPTION	SIZE	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
Heavy Commercial Hinge Kit for 1.75" & 2" Uprights & 2.5" Posts with Strong Arm Gate Latch	2.5"	1.25"	3"	HG⊗S-25*	1	13 lbs
	2.5"	1.25"	3"	HG⊗D**	1	20 lbs

*HG⊗S-25 Kit (for single swing gates) includes: (1) pr. #MHH180 | (1) ea. #DSB250

**HG⊗D Kit (for double swing gates) includes: (2) pr. #MHH180 | (1) ea. #DSB200
NOTE: Recommend DLB100 for each gate leaf.

Kits for use with: Montage Plus Gates | Montage II Gates | Aegis Plus Gates | Aegis II Gates | Echelon Plus Gates | Echelon II Gates | Echelon Plus Arched Gates | Aegis Plus Arched Gates | Estate Gates

These kits are **NOT FOR USE** with gate leaves weighing over 420 lbs.




Heavy Commercial Hinge Kit for 1.75" & 2" Uprights & 3" Post with Strong Arm Gate Latch	3"	1.25"	3"	HG⊗S-3	1	15 lbs
---	----	-------	----	--------	---	--------

HG⊗S-3 Kit (for single swing gates) includes: (1) pr. #MHH180 | (1) ea. #DSB300

Kit for use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates | Montage II Gates | Aegis II Gates | Echelon II Gates | Aegis Plus Arched Gates | Echelon Plus Arched Gates | Estate Gates

These kits are **NOT FOR USE** with gate leaves weighing over 420 lbs.



Heavy Commercial Hinge Kit for 1.75" & 2" Uprights & 4" Post with Strong Arm Gate Latch	4"	1.25"	3"	HG⊗S-4	1	17 lbs
---	----	-------	----	--------	---	--------

HG⊗S-4 Kit (for single swing gates) includes: (1) pr. #MHH180 | (1) ea. #DSB100

Kit for use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates | Montage II Gates | Aegis II Gates | Echelon II Gates | Aegis Plus Arched Gates | Echelon Plus Arched Gates | Estate Gates





These kits are **NOT FOR USE** with gate leaves weighing over 420 lbs.

⊗ = **COLOR OPTIONS AVAILABLE** | B = Black | N = Bronze | S = Sand | Hinges are available in BLACK only

HC = hinge clearance | LC = latch clearance

Effective: 01/07/21

ORNAMENTAL GATE HARDWARE | SINGLE & DOUBLE SWING KITS



DESCRIPTION	MIN. HINGE POST SIZE	LATCH POST SIZE	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
Industrial Hinge Kits for 1.75" & 2" Uprights & 2.5" Posts with Strong Arm Latch FOR SINGLE GATES	4"	2.5"	1.5"	3"	IG⊗S-25*	1	20 lbs
	4"	N/A	1.5"	3"	IG⊗D**	1	25 lbs

*IG⊗S-25 Kit (for single swing gates) includes: (1) pr. #MIH180 | (1) ea. #DSB250

**IG⊗D Kit (for double swing gates) includes: (2) pr. #MIH180 | (1) ea. #DSB200

NOTE: Recommend DLB100 for each gate leaf.

Kits for use with: Montage II Gates | Aegis II Gates | Echelon II Gates | Impasse II Gates

These kits are **NOT FOR USE** with gate leaves weighing over 3,000 lbs.

DESCRIPTION	MIN. HINGE POST SIZE	LATCH POST SIZE	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
Industrial Hinge Kit for 1.75" & 2" Uprights & 3" Posts with Strong Arm Latch	4"	3"	1.5"	3"	IG⊗S-3	1	22 lbs

IG⊗S-3 Kit (for single swing gates) includes: (1) pr. #MIH180 | (1) ea. #DSB300

Kits for use with: Montage II Gates | Aegis II Gates | Echelon II Gates | Impasse II Gates

These kits are **NOT FOR USE** with gate leaves weighing over 3,000 lbs.

Industrial Hinge Kit for 1.75" & 2" Uprights & 4" Posts with Strong Arm Latch	4"	4"	1.5"	3"	IG⊗S-4	1	24 lbs
---	----	----	------	----	--------	---	--------

IG⊗S-4 Kit (for single swing gates) includes: (1) pr. #MIH180 | (1) ea. #DSB100

Kits for use with: Montage II Gates | Aegis II Gates | Echelon II Gates | Impasse II Gates

These kits are **NOT FOR USE** with gate leaves weighing over 3,000 lbs.

⊗ = **COLOR OPTIONS AVAILABLE** | **B** = Black | **N** = Bronze | **S** = Sand | Hinges are available in BLACK only

HC = hinge clearance | LC = latch clearance


Effective: 01/07/21

AMERISTAR

ASSA ABLOY

TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM

ORNAMENTAL GATE HARDWARE | SINGLE & DOUBLE SWING KITS



DOUBLE

DESCRIPTION	SIZE	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
Industrial Hinge Kit for 2" Uprights & 3" Post with Industrial Double Drive Gate Latch	n/a	.625" - 2.5"	3.5"	IDDSLHK*	1	46 lbs


IDDSLHK Kit (for double swing gates) includes: (2) pr. #MIH180 | (1) ea. #DDB200

Kits for use with: Impasse II Gates

Notes: Recommended for gate leaves over 60" sq. area (height x OTD) and when 6" sq. posts are required. Recommend DLB100 for each gate leaf.

These kits are **NOT FOR USE** with gate leaves weighing over 3,000 lbs.

* Available in BLACK only



DOUBLE

Box Hinge Kit for Welding Steel Uprights & Steel Posts with Industrial Double Drive Gate Latch	n/a	2"	3.5"	SGBDXU**	1	26 lbs
--	-----	----	------	----------	---	--------

SGBDXU Kit (for double swing gates) includes: (2) pr. #HU517 | (1) ea. #DDB200

Note: Recommend DLB100 for each gate leaf.

Kits for use with: Impasse II Gates

These kits are **NOT FOR USE** with gate leaves weighing over 3,000 lbs.


* Hinges available primed only

⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze S = Sand | Hinges are available in BLACK only

HC = hinge clearance | LC = latch clearance

Effective: 01/07/21

ORNAMENTAL GATE HARDWARE | GATE HINGES




DESCRIPTION	HINGE CLEARANCE	ITEM NUMBER	BOX QTY	BOX WEIGHT
True Close Mini Multi Hinge	1.125"	TCAMA1*	1 pr	2 lbs

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Self-closing adjustment (vertical, horizontal & tension) | Super-strong engineered polymer & stainless steel construction | Horizontal & vertical adjustment up to .75"

NOT FOR USE with gate leaves weighing over 62 lbs.

* Available in BLACK only




KwikFit Pivoting Hinge	.75"	8000-2081*	1 pr	1 lbs
------------------------	------	------------	------	-------

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Side-fixing legs provide quick alignment of hinges on gate & fence post | Double face-fixing (fixes to both face & post side of gate) | Super-strong engineered polymer & stainless steel construction | Won't rust, bind, snag or stain

NOT FOR USE with gate leaves weighing over 62 lbs.

* Available in BLACK only




TrueClose Hinge	.75"	8000-2112*	1 pr	1 lbs
-----------------	------	------------	------	-------

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Self-closing (tension-adjustable) hinge for light to medium weight metal safety gates around pools, homes and gardens | Quick-fit alignment legs for added fitting strength

NOT FOR USE with gate leaves weighing over 66 lbs.

* Available in BLACK only



Heavy Duty TruClose Hinge	.75"	8000-2115*	1 pr	1.6 lbs
---------------------------	------	------------	------	---------

For use with: Montage Plus Gates | Montage Plus Arched Gates | Echelon Plus Gates | Echelon Plus Arched Gates

A self-closing (tension-adjustable) hinge for heavier or high-traffic metal gates (especially those with narrow frames) around commercial areas, homes and childcare centers | Quick-fit alignment legs for added fitting strength

NOT FOR USE with gate leaves weighing over 154 lbs.

* Available in BLACK only


Effective: 01/07/21

AMERISTAR

ASSA ABLOY

TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM

ORNAMENTAL GATE HARDWARE | GATE HINGES



DESCRIPTION	GATE POST SIZE	HINGE CLEARANCE	ITEM NUMBER	BOX QTY	WEIGHT EA.
Male Hinge	2"	2"	H⊗403N*	100	.46 lbs
	2.5"	2"	H⊗413N**	50	.53 lbs
	3"	2"	H⊗415N**	50	.57 lbs

*For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

**For use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates | Aegis Plus Arched Gates
Echelon Plus Arched Gates | Estate Gates

Notes: Supplied with stainless steel fasteners | Bolts onto square posts

NOT FOR USE with gate leaves weighing over 90 lbs.



DESCRIPTION	GATE END SIZE	HINGE CLEARANCE	ITEM NUMBER	BOX QTY	WEIGHT EA.
Female Hinge	1.25"	2"	H⊗404N*	100	.60 lbs
	1.75"	2"	H⊗414N**	100	.66 lbs
	2"	2"	H⊗416N***	100	.68 lbs

*For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

**For use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates

***For use with: Aegis Plus Arched Gates | Echelon Plus Arched Gates | Estate Gates

Notes: Supplied with stainless steel fasteners | Bolts onto square uprights

NOT FOR USE with gate leaves weighing over 90 lbs.




DESCRIPTION	GATE END SIZE	HINGE CLEARANCE	ITEM NUMBER	BOX QTY	WEIGHT EA.
Plate Pintle	.625"	2"	H⊗108N	100	.60 lbs

*For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

Notes: Screws or anchors to walls or other flat surfaces | Mounting fasteners not included

NOT FOR USE with gate leaves weighing over 90 lbs.



FOR STEEL
HU517

FOR ALUMINUM
HU518

DESCRIPTION	GATE END SIZE	HINGE CLEARANCE	ITEM NUMBER	BOX QTY	WEIGHT EA.
Box Hinges	5"	2"	HU517*	2	4 lbs
	5"	2.375"	HU518**	2	4 lbs

*For use with: Montage Plus Gates | Aegis Plus Gates | Montage II Gates | Aegis II Gates | Impasse II Gates

**For use with: Echelon II Gates | Aegis Plus Arched Gates | Echelon Plus
Arched Gates | Estate Gates

Notes: Kits require use of steel posts | Plated side of hinge is for bolting to aluminum gate frame | Non-plated side of hinge is for welding to the steel post | Hinges available primered only


Recommended for gates weighing over 90 lbs.

* Available in PRIMERED ONLY

⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze S = Sand W = White

Effective: 01/07/21

ORNAMENTAL GATE HARDWARE | GATE HINGES




DESCRIPTION	HINGE CLEARANCE	ITEM NUMBER	BOX QTY	BOX WEIGHT
Residential Adjustable 180° Hinge	.5" - 1.625"	MRH180R*	1 pr	2 lbs

For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

NOT FOR USE with gate leaves weighing over 120 lbs.

** Available in BLACK only*




Commercial Adjustable 180° Hinge	.5" - 1.625"	MCH180R*	1 pr	4 lbs
---	--------------	----------	------	-------

For use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates

NOT FOR USE with gate leaves weighing over 240 lbs.

** Available in BLACK only*




Commercial / Industrial Adjustable 180° Hinge	.625" - 2.5"	MHH180*	1 pr	7 lbs
--	--------------	---------	------	-------

For use with: Montage Plus Gates | Montage II Gates | Aegis Plus Gates | Aegis II Gates | Echelon Plus Gates | Echelon II Gates | Estate Gates

NOT FOR USE with gate leaves weighing over 420 lbs.

** Available in BLACK only*



Heavy Industrial / Security Adjustable 180° Hinge	.625" - 2.5"	MIH180*	1 pr	20 lbs
--	--------------	---------	------	--------

For use with: Montage II Gates | Aegis II Gates | Echelon II Gates | Impasse II Gates

Notes: Recommended for gate leaves over 60" sq. area (height x OTD) and when 6" sq. posts are required.

NOT FOR USE with gate leaves weighing over 3,000 lbs.

** Available in BLACK only*


Effective: 01/07/21

AMERISTAR

ASSA ABLOY

TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM

ORNAMENTAL GATE HARDWARE | GATE LATCHES & DROP ROD




DESCRIPTION	HINGE CLEARANCE	ITEM NUMBER	BOX QTY	BOX WEIGHT
Residential LokkLatch	.75"	LLAAB*	1	1 lbs

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Key lockable | Adjusts horizontally & vertically | Push-Button External Access Kit

** Available in BLACK only*




Heavy Duty LokkLatch Deluxe	.75"	LLDAB-KSA*	1	1.32 lbs
------------------------------------	------	------------	---	----------

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Operates & locks from both sides of the gate | Dual 6-pin re-keyable lock | Fully adjustable

** Available in BLACK only*




Top Pull Magna Latch	.75"	ML3TPKA*	1	1.43 lbs
-----------------------------	------	----------	---	----------

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Magnetically triggered latching | Key lockable safety | Adjusts horizontally & vertically | Quick & easy to install | Patented "Lost Motion" Technology

** Available in BLACK only*




Vertical Pull Magna Latch	.75"	ML3VPKA*	1	1 lbs
----------------------------------	------	----------	---	-------

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Magnetically triggered latching | Key lockable safety | Adjusts horizontally & vertically | Quick & easy to install | Patented "Lost Motion" Technology

** Available in BLACK only*



24" Q-Bolt Drop Rod	n/a	QB124*	1	2.6 lbs
----------------------------	-----	--------	---	---------


For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Padlockable security | Fits 1" or larger gate frames | Ergonomic handle

** Available in BLACK only*

Effective: 01/07/21

ORNAMENTAL GATE HARDWARE | GATE LATCHES




DESCRIPTION	LENGTH	LATCH CLEARANCE	ITEM NUMBER	BOX QTY	WEIGHT EA.
Latch Hanger	1.25"	2"	H⊗301N*	100	.50 lbs
	1.75"	2"	H⊗311N**	100	.60 lbs
	2"	2"	H⊗420N***	100	.65 lbs

*For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

**For use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates

***For use with: Aegis Plus Gates | Aegis Plus Arched Gates | Echelon Plus Gates | Estate Gates


Notes: Supplied with stainless steel fasteners | Pressed steel hanger



Wall Mount Plate Latch	n/a	2"	H⊗305N	100	.30 lbs
------------------------	-----	----	--------	-----	---------

For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

Notes: Pressed steel plate | Mounting fasteners NOT INCLUDED | Bolt & nut INCLUDED for fork latch | Screw or anchor to wall or other flat surfaces



Fork Latch	1.25"	2"	H⊗401N*	100	.34 lbs
	1.75"	2"	H⊗410N**	50	.38 lbs
	2"	2"	H⊗402N***	100	.42 lbs
	2.5"	2"	H⊗411N†	50	.44 lbs
	3"	2"	H⊗412N†	50	.46 lbs

*For use with: Montage Gates | Aegis Gates | Echelon Gates

**For use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates

***For use with: Montage Gates | Aegis Gates | Echelon Gates | Estate Gates | ALL ARCHED GATES


†For use with: ALL GATES

Notes: Pressed steel fork | Mounting fasteners NOT INCLUDED

⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze S = Sand W = White


Effective: 01/07/21

ORNAMENTAL GATE HARDWARE | GATE LATCHES




DESCRIPTION	LENGTH	LATCH CLEARANCE	ITEM NUMBER	BOX QTY	WEIGHT EA.
Strong Arm Single Gate Latch	2.5"	3" / 4" gap	DS⊗250	1	4 lbs
	3"	3" / 4" gap	DS⊗300	1	4 lbs
	4"	3" / 4" gap	DS⊗100	1	4 lbs
	6"	3" / 4" gap	DS⊗600	1	7 lbs

For use with: Montage Plus Gates | Montage II Gates | Aegis Plus Gates | Aegis II Gates | Echelon Plus Gates | Echelon II Gates | Estate Gates
Notes: Fits 1.75" or 2" sq. frame




Strong Arm Double Gate Latch	2.5" / 3.25" gap	3"	DS⊗200	1	6 lbs
------------------------------	------------------	----	--------	---	-------

For use with: Montage Plus Gates | Montage II Gates | Aegis Plus Gates | Aegis II Gates | Echelon Plus Gates | Echelon II Gates | Estate Gates
Notes: Fits 1.75" or 2" sq. frame




Industrial Double Drive Gate Latch	2"	3.5"	DDB200†	1	7.5 lbs
------------------------------------	----	------	---------	---	---------

For use with: Impasse II Gates
Notes: Heavy duty galvanized steel double drive gate latch.
† Available in BLACK only



Heavy Duty Slide Latch	up to 1" gap	1"	SLB100†	1	6.6 lbs
------------------------	--------------	----	---------	---	---------

For use with: Montage II Gates | Aegis II Gates | Echelon II Gates | Impasse II Gates
Notes: Heavy duty galvanized steel slide latch with 1" diameter bar.
† Available in BLACK only



Securitron GLI Gate Lock	STANDARD LOCKS				
	FAIL SAFE	2-3/4" L x 7-1/4" W x 3-1/4" D	GL-FS†	1	6 lbs
	FAIL LOCKED	2-3/4" L x 7-1/4" W x 3-1/4" D	GL-FL†	1	6 lbs
Securitron GLI Monitored Gate Lock	MONITORED LOCKS				
	FAIL SAFE MONITORED		GL-FSM†	1	6 lbs
	FAIL LOCKED MONITORED		GL-FLM†	1	6 lbs

Specification:

Holding Force: 2000 lbs (90.7kg)

Operating Temperature: -58 to +167F (-50 to +75C) Indoor or Outdoor Use

Electrical: 12 Volts initial (Peak): (-1.0 sec.) @ 870mA - Reduced: 290mA Power Consumption: 3.5 Watts
24 Volts initial (Peak): (-1.0 sec.) @ 720mA - Reduced: 170mA Power Consumption: 4.1 Watts


† Available in BLACK only

NOTE: Lock set supplied with cylinder plugs. Keyed mortise cylinder not included (supplied by others).

Size of Cylinder	Spacer Req.	CTM Type
1"	1/4"	MS
1-1/8"	3/8"	MS

Effective: 01/07/21


ORNAMENTAL GATE HARDWARE | GATE LATCHES



DESCRIPTION	LATCH CLEARANCE	GATE END	POST	ITEM NUMBER	WEIGHT EA.
Gate Lock Flex Mounting Brackets	1"-3-¾"	Up to 2"	Up to 3"	FMK-SLN†	14 lbs
	1"-2-¾"	Up to 2"	Up to 3"	FMK-SWN†	14 lbs
	SHIM KIT SET OF 4			FMB9-4N†	7 lbs

Note: FMK-SL will function with GL1 when post separation is between 1" and 3-¾"
FMK-SQ will function with GL1 where post separation is between 1" and 2-¾"
† Available in BLACK only

ORNAMENTAL GATE HARDWARE | DROP BOLTS & RODS



DESCRIPTION	LENGTH	ITEM NUMBER	BOX QTY	WEIGHT EA.
Cane Bolt	48"	H⊗316N	1	5 lbs

For use with: ALL GATES

Notes: .625" diameter steel cane bolt | For Residential Gates to keep gate leaf rigidly in place

Drop Rod	34"	DLB100*	1	12 lbs
----------	-----	---------	---	--------

For use with: ALL GATES

Notes: 1" diameter steel cane bolt | Heavy-duty to keep gate leaf rigidly in place

* Available in BLACK only

Surface Mounted Drop Bolt	adjustable	KDQFBL	1	13.5 lbs
---------------------------	------------	--------	---	----------

For use with: ALL RESIDENTIAL DOUBLE SWING GATES

Notes: Lockable drop bolt with cylinder | Adjustable height in x3 positions (2" per position) | Gate can be opened or closed in any position | For gate profiles 1.5" x 1.5" or greater

* Available in BLACK only

⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze S = Sand W = White

Effective: 01/07/21

AMERISTAR

ASSA ABLOY

TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM


ORNAMENTAL GATE HARDWARE | GATE ACCESSORIES



DESCRIPTION	LENGTH	ITEM NUMBER	BOX QTY	WEIGHT EA.
Gate Spring	13"	H⊗701	30	1.3 lbs

For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

Notes: Adjustable tension spring for self-closing applications | Ideal for residential ornamental swing gates | (4) #10 x .5" self-drilling screws INCLUDED



Truss Cable Kit for Ornamental Gates	n/a	MTK100	1	15 lbs
--------------------------------------	-----	--------	---	--------

For use with: ALL GATES

Notes: Mounts on all swing gates with gusset plates in corners

*Kit includes: (1) ea .3125" - 18 x 4.5" Jaw & Eye Turnbuckle
(2) ea .1875" Cable Clamps
(12') .1875" Black PVC Coated Steel*


** Available in BLACK only*

⊗ = **COLOR OPTIONS AVAILABLE** | **B** = Black **N** = Bronze **S** = Sand **W** = White


Effective: 01/07/21

SURECLOSE® GATE HARDWARE | STEEL HINGES


EXTERNAL MOUNT | .5"- 1.375" HINGE GAP | 180° MAX SWING | HORIZONTALLY & VERTICALLY ADJUSTABLE | SOLD INDIVIDUALLY



HINGE / SM



CLOSER / 108



GATE STOP

DESCRIPTION	SELF-CLOSING	MAX GATE OPEN POSITION	FINAL SNAP ACTION	ITEM NUMBER	POOL / CHILD SAFETY
RF <u>SMW</u> – ReadyFit Hinge	⊘	⊘	⊘	74001315T	⊘
RF <u>108W</u> – ReadyFit Closer	from 83°	178°	✓	74108315T	⊘
RF <u>108SF W</u> – ReadyFit Closer	from 88°	88°	✓	74108325T	✓*

Note: SF Hinges require gate stop.

SC RF <u>108S W180</u> – Hinge/Closer Kit	180°	180°	✓	74108335T	✓**
---	------	------	---	-----------	-----

Note: Sold as Pair (1 EA = 1 PR).


***Not Suitable for Child/Pool Gates unless a Gate-Stop is installed at a maximum of 170° Do not prop gate open. When using on pool gate, consult Local Pool Codes.*

RF – Gate Stop	⊘	85°	⊘	7403	⊘
----------------	---	-----	---	------	---


Notes: Gate mounting brackets & fasteners INCLUDED with hinge/closers | SF gates WILL NOT hold open at 90° (excluding SAFETY GATES). DO NOT use a hinge with a 90° hold open feature for POOL GATES | Gate Stop must be installed when using SF models – gate MUST NOT be allowed to open past 90° – doing so VOIDS WARRANTY.

SURECLOSE® GATE HARDWARE | ALUMINUM HINGES


EXTERNAL MOUNT | .5"- 1.375" HINGE GAP | 180° MAX SWING | HORIZONTALLY & VERTICALLY ADJUSTABLE | SOLD INDIVIDUALLY



HINGE / SM



CLOSER / 108



GATE STOP

DESCRIPTION	SELF-CLOSING	MAX GATE OPEN POSITION	FINAL SNAP ACTION	ITEM NUMBER	POOL / CHILD SAFETY
RF <u>SMS</u> – ReadyFit Hinge	⊘	⊘	⊘	74001313T	⊘
RF <u>108S</u> – ReadyFit Closer	from 83°	178°	✓	74108313T	⊘
RF <u>108SF S</u> – ReadyFit Closer	from 88°	88°	✓	74108323T	✓*

Note: SF Hinges require gate stop.

SC RF <u>108S S180</u> – Hinge/Closer Kit	180°	180°	✓	74108333T	✓**
---	------	------	---	-----------	-----

Note: Sold as Pair (1 EA = 1 PR).

***Not Suitable for Child/Pool Gates unless a Gate-Stop is installed at a maximum of 170° Do not prop gate open. When using on pool gate, consult Local Pool Codes..*

RF – Gate Stop	⊘	85°	⊘	7403	⊘
----------------	---	-----	---	------	---

Notes: Gate mounting brackets & fasteners INCLUDED with hinge/closers | SF gates WILL NOT hold open at 90° (excluding SAFETY GATES) DO NOT use a hinge with a 90° hold open feature for POOL GATES | Gate Stop must be installed when using SF models – gate MUST NOT be allowed to open past 90° – doing so VOIDS WARRANTY

Effective: 01/07/21

AMERISTAR

ASSA ABLOY

TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM

SURECLOSE® GATE HARDWARE

EXTERNAL MOUNT | .5" - 1.375" HINGE GAP | 180° MAX SWING | HORIZONTALLY & VERTICALLY ADJUSTABLE | SOLD INDIVIDUALLY

SURECLOSE® HINGE COMBINATIONS QUICK REFERENCE GUIDE

HINGE COMBINATIONS	SELF-CLOSING GATE MAX WEIGHT	POINT LOAD CAPACITIES
<u>108</u> + <u>SM</u>	180 lbs* / 80 kgs*	1,500 lbs / 680 kgs
<u>108S</u> W	180 lbs* / 80 kgs*	1,500 lbs / 680 kgs
<u>108S</u> S	180 lbs* / 80 kgs*	1,500 lbs / 680 kgs
<u>108</u> + <u>108</u>	260 lbs* / 120 kgs*	1,500 lbs / 680 kgs
<u>SM</u> + <u>SM</u>	n/a	1,500 lbs / 680 kgs


* BASED ON MAX GATE SIZE / 72" h x 40" w (1,800 mm x 1,000 mm)

SM = Non-Self Closing Hinge | 108 = Self-Closing Hinge / 85° - 90° (holds gate open at 90°)



SURECLOSE® POOL LATCH & BRACKET SAFETY WARNING

FIFTH DIMPLE



Pool & child safety gate latch hardware (SF) can be identified visually very easily by locating the "fifth dimple" on the end cap.

DO NOT USE ANY NON-SF MODELS (with only four dimples)
ON GATES WHERE HUMAN SAFETY COULD BE AT RISK!

Effective: 01/07/21

Effective: 01/07/21